
#120 Truss-Mesh (For Single Wythe Wall)



WWW.WLTUCKER.COM / CALL: 330.928.2155

PREFABRICATED TEE

DRAWINGS FOR ILLUSTRATIVE PURPOSES ONLY

MATERIAL CONFORMANCES - JOINT REINFORCEMENT

Hohmann & Barnard joint reinforcement products conform to Standard Specification ASTM A 951 & ACI / ASCE 530 (Building Code Requirements for Masonry Structures)

WIRE: (Carbon Steel): Prefabricated construction from cold-drawn steel wire conforming to ASTM A 82: Tensile strength - 80,000 p.s.i, Yield Point - 70,000 p.s.i. minimum

WIRE DIAMETER:

9 gauge (.148" or W1.7) 3/16" (.187" or W2.8)

Side Rods and Cross Rods available in any combination of the above. Cross Rods welded 16" O.C.

FINISHES:

☐ Mill galvanized coating: ASTM A 641 (0.1 oz/ft²).

Also available on special order: ASTM A 641 Class 1 (0.4 oz/ft²). ASTM A 641 Class 3 (0.8 oz/ft2).

- ☐ Hot-dip galvanized after fabrication: ASTM A 153 (1.5 oz/ft²).
- ☐ Stainless Steel: ASTM A 580 AISI Type 304 (Type 316 available on special order).

Note: H&B recommends Stainless Steel for maximum protection against corrosion.

WIRE SIZE:

□(S) Standard Weight:

9 Gauge Side Rods x 9 Gauge Cross Rods

□(EH) Extra Heavy:

3/16" Side Rods x 9 Gauge Cross Rods

□(SHD) Super Heavy Duty

3/16" Side Rods x 3/16" Cross Rods

BLOCK SIZE:

□4" □ 12" Note: For Corner or Tee, state □6" □ 14" width of both block walls. □16" □8"

10"



Hohmann & Barnard, Inc. 30 Rasons Court Hauppauge, New York 11788

TEL: (800) 645-0616 FAX: (631) 234-0683

WEBSITE: www.h-b.com E-MAIL: weanchor@h-b.com

©HOHMANN & BARNARD, INC. - 1999