

* **1 Identification of the substance/mixture and of the company/undertaking**

Product identifier

Trade name: Waterproofing Membrane

MSDS ID Number: M-85875

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

W.R. Grace & Co. -Conn.
62 Whittemore Avenue
Cambridge, MA 02140 USA

Grace Canada, Inc.
294 Clements Road W.
Ajax, Ontario L1S 3C6 Canada

Other Country Contact Information:

For products distributed beyond the country Manufacturer/Supplier identified above
Consult Section 16 for additional emergency contact information.

Information department:

Environmental Health & Safety
USA: +1-617-876-1400 (24 hours)
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts
In Canada: +1-905-683-8561

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

* **2 Composition/information on ingredients**

Chemical characterization: Mixtures

Hazardous components:		
8052-42-4	Asphalt	50-100%
7783-06-4	hydrogen sulphide	0.0-1.0%
9003-55-8	Styrene-butadiene rubber	10-20%

* **3 Hazards identification**

Classification of the substance or mixture

SDS's are not required for finished articles. nevertheless, the following information is provided to assist with safe use.

Information concerning particular hazards for human and environment:

Harmful by inhalation.

Hazard description: Harmful

Inhalation: Causes respiratory tract irritation.

Material Safety Data Sheet

Printing date 05/13/2011

Version Number 1.2

Reviewed on 05/13/2011

Trade name: *Waterproofing Membrane*

(Cont. from page 1)

Eye Contact: Causes eye irritation.**Skin Contact:** Skin absorption of residue from adhesive may be harmful and may produce local skin tumors.**Ingestion:** Harmful if swallowed.**NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 1

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = *2

Flammability = 1

Reactivity = 0

Other hazards Contact with residue from adhesive may cause eye and skin irritation.**4 First aid measures****After inhalation:**

Adverse effects are not likely. If symptoms develop, get fresh air. If symptoms persist, consult a physician. If breathing has stopped, give artificial respiration then oxygen if needed.

After skin contact:

If residue remains, clean with waterless handcream or abrasive soap. Never use solvents.

If skin irritation continues, consult a doctor.

After eye contact:

Seek immediate medical advice.

If contact with residue causes eye irritation, flush eyes with water for at least 15 minutes while holding eyelids open.

After swallowing: Due to physical nature of this product, ingestion is not likely.**5 Firefighting measures****Suitable extinguishing agents:**CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture** No further relevant information available.**Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

USA

(Cont. on page 3)

Material Safety Data Sheet

Printing date 05/13/2011

Version Number 1.2

Reviewed on 05/13/2011

Trade name: *Waterproofing Membrane*

(Cont. from page 2)

6 Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to section 13 of the MSDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling:****Precautions for safe handling**

Membrane is slippery when wet or covered with frost.

Avoid eye and skin contact with residue from adhesive.

Release liners are slippery. Remove from work area immediately after membrane application.

To avoid skin contact, use gloves. Clean hands after contact with adhesive residue.

Release liners may cause slip and trip hazards.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Information about protection against explosions and fires:

Removal of release liner may generate a static electrical discharge (spark).

Storage:

Information about storage in one common storage facility: Store in original containers.

Further information about storage conditions:

Keep receptacle tightly sealed.

-

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Cont. on page 4)

USA

Material Safety Data Sheet

Printing date 05/13/2011

Version Number 1.2

Reviewed on 05/13/2011

Trade name: *Waterproofing Membrane*

(Cont. from page 3)

Components with limit values that require monitoring at the workplace:**8052-42-4 Asphalt**

REL	Short-term value: C 5* mg/m ³ *15-min
TLV	0.5* mg/m ³ *inh. fraction; as benzene-soluble aerosol; BEIp

7783-06-4 hydrogen sulphide

PEL	Short-term value: C 20; 50* ppm *10-min peak; once per 8-hr shift
REL	Short-term value: C 15* mg/m ³ , C 10* ppm *10-min
TLV	Short-term value: (21) 7 mg/m ³ , (15) 5 ppm Long-term value: (14) 1.4 mg/m ³ , (10) NIC-1 ppm

Additional information: The lists that were valid during the creation were used as basis.

Personal protective equipment:

General protective and hygienic measures: Avoid contact with the eyes and skin.

Breathing equipment:

Respiratory protection is not normally required. If exposures exceed PELs use a NIOSH approved organic vapor respirator.

Protection of hands:

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves

Gloves should be impermeable and resistant to the product. Selection of material should be considered before use.

Eye protection: Not required for normal use.

Body protection: Protective work clothing

9 Physical and chemical properties**General Information****Appearance:**

Form:	Solid
Color:	According to product specification
Odor:	Characteristic
Odour threshold:	Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range:	Undetermined.
Flash point:	151°C (304 °F)

Flammability (solid, gaseous): Not determined.

Decomposition temperature: Not determined.

(Cont. on page 5)

USA

Material Safety Data Sheet

Printing date 05/13/2011

Version Number 1.2

Reviewed on 05/13/2011

Trade name: *Waterproofing Membrane*

(Cont. from page 4)

Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.

Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
VOC Content (max):	Not determined.

Vapor pressure:	Not applicable.
Density at 20°C (68 °F):	~1.1 g/cm ³ (~9.18 lbs/gal)
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.

Segregation coefficient (n-octanol/water):	Not determined.
---	-----------------

Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.

Other information	No further relevant information available.
--------------------------	--

10 Stability and reactivity

Thermal decomposition: No decomposition if used according to specifications.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Acute toxicity:

Primary irritant effect:

on the skin: May be irritating to the skin on prolonged contact

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

12 Ecological information

Acquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

(Cont. on page 6)

USA

Material Safety Data Sheet

Printing date 05/13/2011

Version Number 1.2

Reviewed on 05/13/2011

Trade name: *Waterproofing Membrane*

(Cont. from page 5)

Behavior in environmental systems:**Bioaccumulative potential** No further relevant information available.**Additional ecological information:****General notes:** Slightly hazardous for water**13 Disposal considerations****Waste treatment methods** Comply with Federal, State and local regulations.**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:**Recommendation:** Disposal must be made according to official regulations.**14 Transport information****DOT regulations:****Hazard class:** -**Remarks:** Not Regulated.**Land Transport ADR/RID (cross-border):****Remarks:** Not Regulated.**Inland shipping ADN:****ADN/R Class:** -**Remarks:** Not regulated**Maritime Transport IMDG:****IMDG Class:** -**Marine pollutant:** No**Remarks:** Not Regulated.**Air Transport ICAO-TI and IATA-DGR:****ICAO/IATA Class:** -**Remarks:** Not Regulated.

USA

(Cont. on page 7)

Material Safety Data Sheet

Printing date 05/13/2011

Version Number 1.2

Reviewed on 05/13/2011

Trade name: *Waterproofing Membrane*

(Cont. from page 6)

15 Regulatory information**SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

7783-06-4 | hydrogen sulphide

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

7783-06-4 | hydrogen sulphide | 0.6%

SARA Section 312/Tier I & II Hazard Categories:

Health Immediate (acute)	Yes
Health Delayed (chronic)	Yes
Flammable	No
Reactive	No
Pressure	No

National Chemical Inventory Status**TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

Remarks:**CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

California Proposition 65**Chemicals known to cause cancer:**

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

WHMIS Classification(s):

D2B - Toxic material causing other toxic effects

**Carcinogenicity Categories****EPA (Environmental Protection Agency)**

7783-06-4 | hydrogen sulphide | I

IARC (International Agency for Research on Cancer) Human Carcinogenicity:**Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable**

8052-42-4 | Asphalt | 3

9003-55-8 | Styrene-butadiene rubber | 3

(Cont. on page 8)

USA

Material Safety Data Sheet

Printing date 05/13/2011

Version Number 1.2

Reviewed on 05/13/2011

Trade name: *Waterproofing Membrane*

(Cont. from page 7)

14807-96-6 Talc

3

NTP (National Toxicology Program)**K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)**Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

8052-42-4 Asphalt

A4

14807-96-6 Talc

A4

NIOSH-Cancer (National Institute for Occupational Safety and Health)

8052-42-4 Asphalt

OSHA-Cancer (Occupational Safety & Health Administration)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards for Architectural Coatings:

If no g/L value is provided this product is not subject to above standard.

European EINECS

All ingredients are listed.

Philippines Inventory of Chemicals and Chemical Substances PICCS

All ingredients are listed.

Inventory of Existing Chemical Substances manufactured or imported in China IECSC

All ingredients are listed.

Australian Inventory of Chemical Substances AICS

All ingredients are listed.

Existing and New Chemical Substance List ENCS

All ingredients are listed.

Korean Existing Chemical Inventory

All ingredients are listed.

16 Other information

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."

Department issuing MSDS:**Other Information:**

BITUTHENE® LOW TEMPERATURE WATERPROOFING MEMBRANE, MEMBRANE STRIPS
 BITUTHENE® SYSTEM 4000 WATERPROOFING MEMBRANE, MEMBRANE STRIPS
 PERM-A-BARRIER□ WALL FLASHING, PERM-A-BARRIER□ WALL MEMBRANE,
 PERM-A-BARRIER® LOW TEMPERATURE MEMBRANE, PERM-A-BARRIER
 DETAIL MEMBRANE, GRACE ICE & WATER SHIELD®,
 GRACE ROOF DETAIL MEMBRANE, PITWRAP CW, GRACE□ SELECT, VYCOR□ V40 WEATHER
 BARRIER STRIPS, GRACE VYCOR□ PLUS TAPES, GRACE® BASIK™, GRACE VYCOR DECK
 PROTECTOR,
 GRACE VYCOR ALL PURPOSE FLASHING, GRACE VYCOR ALUMINUM FLASHING,

(Cont. on page 9)

USA

Material Safety Data Sheet

Printing date 05/13/2011

Version Number 1.2

Reviewed on 05/13/2011

Trade name: *Waterproofing Membrane*

(Cont. from page 8)

PREPRUFE SCS DETAIL TAPE, GENERIC 40-MIL FLASHING LOG, PERM-A-BARRIER ALUMINUM
FLASHING,
PERM-A-BARRIER ALUMINUM MEMBRANE, PERM-A-BARRIER ALUMINUM MEMBRANE LOWTEMP

USA