

# **Conpro Stucco**

Material Safety Data Sheet Effective Date 1/85

HMIS Ratings Health-1 Flammability-0 Reactivity-0

## **SECTION 1** Hazardous Ingredients

COMPONENTCAS#OSHA PELTWAACGIH TLVTWANIOSH TWAPortland Cement65997-15-15mg/m³10mg/m³Silico Dioxide, Silica, Quartz14808-60-710mg/m³0.1mg/m³ 0.05mg/m³

OSHA ingredient permissible exposure limit: 18mg/m³ ACGIH ingredient TLV-TWA: 30 mppcf (10mg/m³)

Total dust: 5mg/m<sup>3</sup>

The 1974 NIOSH Criteria for a recommended Standard for Occupational Exposure to Crystalline Silica should be consulted for more detailed information.

Note: The Permissible Exposure Limits (PEL) reported above are the pre-1989 limits that were reinstated by OSHA June 30, 1993 following a decision by the 11<sup>th</sup> Circuit Court of Appeals. These PEL's are now being enforced by Federal OSHA. Be aware that more restrictive exposure limits may be enforced by some states, agencies, or other authorities

## **SECTION 2** Physical Data

pH	1% solution (approx.) 12.0
Flash point	> 200° F, Seta (cc)
Vapor Pressure	NA
Viscosity	NA
Evaporation rate	<1 (Ether =1)
Physical State	White or gray powder
Odor	Mild
Sp. Gr.	(Bulk density) 100 lbs./ft³
% solubility (water)	1% (leaves sediment)

## **SECTION 3** Reactivity Data

Stable. Thermal decomposition yields oxides of Ca, S, N, Na, K and Halogens if present.

#### **SECTION 4** Health Hazard Effects

Skin Effects May cause skin irritation after contact. Hypersensitive individuals may develop an

Allergic dermatitis.

Eye Effects Severely damaging to the eyes.

Respiratory Effects May cause minor irritation to upper respiratory tract.

Inhalation Breathing silica dust may not cause noticeable injury or illness even though

Permanent lung damage may be occurring. Inhalation of dust may have serious Chronic health effects including Silicosis, Cancer, Scleroderma, Tuberculosis and

Nephrotoxicity.

CONPROCO STUCCO

## Conpro Stucco

## **SECTION 5** First Aid Instructions

Skin Contact Remove contaminated clothing. Wash exposed area with a large quantity of soap

solution or water for at least 15 minutes.

Eye Contact Immediately flush with water for at least 15 minutes. Contact a physician

immediately for additional treatment.

Inhalation Exposure Remove victim from contaminated area to fresh air. Apply appropriate

first aid treatment as necessary.

Ingestion Do not feed anything by mouth to unconscious or convulsive victim. Dilute contents

Of stomach. Contact physician immediately.

## **SECTION 6** Spill, Disposal and Fire Instructions

Dust.

Disposal Instructions Material can be returned to container for later use or disposed of as common waste.

Any local agreement, a treatment facility, or discharged under a NPDES permit.

Fire Extinguishing Material will not contribute to combustion. Foam or water may create a slippery condition.

Instructions Contact with water may cause eventual reaction to form a hard, inert solid.

## **SECTION 7** Special Protective Equipment

Ventilation Equipment

Recommended

Adequate ventilation.

Respiratory Protection If ventilation is inadequate or significant product exposure is likely, use a respirator with

Dust/mist/fume cartridges.

Recommended Skin

Protection

Rubber gloves and full coveralls.

Recommended Splash proof chemical goggles.

Eye Protection

## **SECTION 8** Storage and Handling Precautions

Storage Instructions Keep in a dry environment. Handling Instructions Normal chemical handling.

## **SECTION 9** Federal Regulations

FIFRA (40 CFR) -EPA Reg. No. Not applicable.

OSHA (29 CFR Sec. 1910) – Safety and Health Standards-See Section 1.

FDA (21 CFR) Ingredients authorized under – None.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA
OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.
CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES,
SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.

