

# **Foundation Coat**

Material Safety Data Sheet Effective Date 3/99

HMIS Ratings Health-1 Flammability-0 Reactivity-0

## **SECTION 1** Hazardous Ingredients

COMPONENT	CAS#	OSHA PEL	TWA	ACGIH TLV	TWA	NIOSH TWA
Portland Cement	65997-15-1			10mg/m³		
Silico Dioxide, Silica, Quartz	14808-60-7		10mg/m³		0.1mg/m <sup>3</sup> 0.05mg/m <sup>3</sup>	

OSHA ingredient permissible exposure limit: 18mg/m³ ACGIH ingredient TLV-TWA: 30 mppcf (10mg/m³)

Total dust: 5mg/m3

The 1974 NIOSH Criteria for a recommended Standard for Occupational Exposure to Crystalline Silica should be consulted for more detailed information.

Note: The Permissible Exposure Limits (PEL) reported above are the pre-1989 limits that were reinstated by OSHA June 30, 1993 following a decision by the 11<sup>th</sup> Circuit Court of Appeals. These PEL's are now being enforced by Federal OSHA. Be aware that more restrictive exposure limits may be enforced by some states, agencies, or other authorities.

## **SECTION 2** Physical Data

рН	1% solution (approx.) 12.0	
Flash point	>200°F Seta cc	
Vapor Pressure	NA	
Viscosity	NA	
Evaporation rate	NA	
Physical State	Gray, dry powder with fibers	
Odor	Mild cement	
Sp. Gr.	Bulk density (ambient)=100lbs./ft³	
% solubility (water)	1% (leaves sediment)	

## **SECTION 3** Reactivity Data

Stable. Thermal decomposition yields oxides of Ca, S, N, Na, K and Halogens if present.

#### **SECTION 4** Health Hazard Effects

Skin Effects May cause skin irritation after contact. Hypersensitive individuals may develop an

allergic response.

Respiratory Effects May cause minor irritation to upper respiratory tract.

Inhalation Breathing silica dust may not cause noticeable injury or illness even though

Permanent lung damage may be occurring. Inhalation of dust may have serious

Chronic health effects including Silicosis

CONPROCO FOUNDATION COAT

#### **SECTION 5** First Aid Instructions

Skin Contact Remove contaminated clothing. Wash exposed area with a large quantity of

soap solution or water for at least 15 minutes.

Eye Contact Immediately flush with water for at least 15 minutes. Contact a physician

immediately for additional treatment.

Inhalation Exposure Remove victim from contaminated area to fresh air. Apply appropriate

first aid treatment as necessary.

Ingestion Do not feed anything by mouth to unconscious or convulsive victim.

Dilute contents of stomach. Contact physician immediately.

# **SECTION 6** Spill, Disposal and Fire Instructions

Spill Instructions Contain and sweep up material. Place in closed containers

Disposal Instructions Dispose of in accordance with local, state, and federal regulations.

Fire Extinguishing Material will not contribute to combustion. Foam or water may create a slippery condition.

Instructions Contact with water may cause eventual reaction to form a hard, inert solid.

# **SECTION 7 Special Protective Equipment**

Ventilation Equipment Adequate ventilation. Mechanical ventilation in confined areas.

Recommended If ventilation is inadequate or significant product exposure is likely, use of a NIOSH/MSHA

Respiratory Protection approved respirator is recommended.

Recommended Skin Rubber gloves and full coveralls

Protection

Recommended Splash proof chemical goggles.

Eye Protection

#### **SECTION 8** Storage and Handling Precautions

Storage Instructions Keep in a dry environment, off of floor.

Handling Instructions Normal chemical handling.

#### **SECTION 9** Federal Regulations

FIFRA (40 CFR) -EPA Reg. No. Not applicable.

OSHA (29 CFR Sec. 1910) - Safety and Health Standards-See Section 1.

FDA (21 CFR) Ingredients authorized under – None.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.

CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.

