



MATERIAL SAFETY DATA SHEET

Page 1 of 4

Sika Armatec 110 - Part A

HMIS

HEALTH	2
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	C

1. Product And Company Identification

Supplier

Sika Corporation
201 Polito Ave
Lyndhurst, NJ 07071

Company Contact: EHS Department
Telephone Number: 201-933-8800
FAX Number: 201-933-9379
Web Site: www.sikausa.com

Manufacturer

Sika Corporation
201 Polito Ave
Lyndhurst, NJ 07071

Company Contact: EHS Department
Telephone Number: 201-933-8800
FAX Number: 201-933-9379
Web Site: www.sikausa.com

Supplier Emergency Contacts & Phone Number

CHEMTREC: 800-424-9300
INTERNATIONAL: 703-527-3887

Manufacturer Emergency Contacts & Phone Number

CHEMTREC: 800-424-9300
INTERNATIONAL: 703-527-3887

Issue Date: 03/08/2005

Product Name: Sika Armatec 110 - Part A
Chemical Family: Epoxy Compound
Chemical Formula: RMF-1681
MSDS Number: 3499
Product Code: 018213N

2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
EPOXY RESIN	25068-38-6	
O-CRESYL GLYCIDYL ETHER	2210-79-9	

3. Hazards Identification

Eye Hazards

Causes eye irritation.

Skin Hazards

May cause skin irritation. Prolonged and/or repeated contact with skin may cause an allergic reaction/sensitization.

Ingestion Hazards

May be fatal if swallowed.

Inhalation Hazards

May cause respiratory tract irritation.

Sika Armatec 110 - Part A

4. First Aid Measures

Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

Skin

In case of contact, immediately flush skin with soap and plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.

Ingestion

If swallowed, do not induce vomiting unless directed to do so by medical personnel. Dilute with water. Get medical attention immediately.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration, seek medical attention.

5. Fire Fighting Measures

Flash Point: >220 °F

Autoignition Point: N/A °F

Fire And Explosion Hazards

None Known.

Extinguishing Media

In case of fire, use water spray (fog) foam, dry chemical, or CO2.

Fire Fighting Instructions

In the event of a fire, firefighters should wear full protective clothing and NIOSH-approved self-contained breathing apparatus with a full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Avoid release to the environment. Use appropriate Personal Protective Equipment (PPE). Contain spill and collect with absorbent material and transfer into suitable containers. Do not flush to sewer or allow to enter waterways. Ventilate enclosed area.

7. Handling And Storage

Handling And Storage Precautions

Keep out of reach of children. Store in a cool dry area. Keep from freezing. Keep containers tightly closed.

Work/Hygienic Practices

Wash thoroughly with soap and water after handling.

8. Exposure Controls/Personal Protection

Engineering Controls

Use with adequate general and local exhaust ventilation. Refer to the current edition of "Industrial Ventilation: A Manual of Recommended Practice" published by the American Conference of Governmental Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems.

Eye/Face Protection

Safety glasses with side shields or goggles recommended.

Skin Protection

Chemical-resistant gloves. Lab coat or other work clothing to prevent skin exposure. Launder before reuse.

Respiratory Protection

A respirator protection program that meets 29 CFR 1910.134 requirement must be followed whenever workplace conditions warrant a respirator's use.

Sika Armatec 110 - Part A

<p>8. Exposure Controls/Personal Protection - Continued</p> <p><u>Other/General Protection</u> Wash thoroughly after handling.</p>
<p>9. Physical And Chemical Properties</p> <p><u>Appearance</u> Milky, white liquid</p> <p><u>Odor</u> Mild</p> <p>Chemical Type: Mixture Melting Point: N/A °F Boiling Point: N/A °F Specific Gravity: 1.09 Percent Volatiles: 38%, wt. Packing Density: 9.13 Vapor Pressure: N/A Vapor Density: >AIR Solubility: Miscible Evaporation Rate: Slower than ether</p>
<p>10. Stability And Reactivity</p> <p>Stability: Stable Hazardous Polymerization: Will not occur</p> <p><u>Conditions To Avoid (Stability)</u> None known</p> <p><u>Incompatible Materials</u> None known</p> <p><u>Hazardous Decomposition Products</u> Oxides of Nitrogen, CO, CO2</p>
<p>11. Toxicological Information</p> <p>No Data Available...</p>
<p>12. Ecological Information</p> <p>No Data Available...</p>
<p>13. Disposal Considerations</p> <p>Dispose in accordance with applicable federal, state and local government regulations. Waste generators must determine whether a discarded material is classified as a hazardous waste. USEPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.</p>
<p>14. Transport Information</p> <p><u>Proper Shipping Name</u> Not regulated by the USDOT.</p>
<p>15. Regulatory Information</p> <p><u>U.S. Regulatory Information</u> All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.</p>

MATERIAL SAFETY DATA SHEET

Sika Armatec 110 - Part A

15. Regulatory Information - Continued

U.S. Regulatory Information - Continued

SARA Hazard Classes

Acute Health Hazard

16. Other Information

HMIS Rating

Health: 2

Fire: 1

Reactivity: 0

PPE: C

Revision/Preparer Information

MSDS Preparer: EHS Department

MSDS Preparer Phone Number: 201-933-8800

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.

SIKA CORPORATION